

Milkweed Identification Guide



Milkweed Identification Guide



How to use this guide

This guide of 12 species of milkweed found in the United States includes identification hints, phenophase pictures, states where the milkweed is most likely grow. These hints and pictures are intended to help our observers have confidence submitting two key pieces of information needed when making a Milkweed and Monarch project observation – the milkweed species and the flowering stage of the plants in the patch.

Along with the pictures of the phenophases provided, here is a good rule of thumb for phenophase identification. Early Flowering-When a few flowers are open (less than 5%).

Middle Flowering-When half or more of the flowers are completely open (50% or more).

Late Flowering-When most flowers have wilted or fallen off (over 95%).

Milkweed Identification Guide



Common Milkweed (Asclepias syriaca)	1
Butterflyweed (Asclepias tuberosa)	2
Swamp Milkweed (Asclepias incarnata)	3
Antelope-horns Milkweed (Asclepias asperula)	4
Purple Milkweed (Asclepias purpurascens)	5
Showy Milkweed (Asclepias speciosa)	6
California Milkweed (Asclepias californica)	7
White Milkweed (Asclepias variegata)	8
Whorled Milkweed (Asclepias verticillata)	9
Mexican Whorled Milkweed (Asclepias fascicularis)	10
Desert Milkweed (Asclepias erosa)	11
Green Milkweed (Asclepias viridis)	12

Common milkweed (Asclepias syrica)



Identification Hints:

- Broad leaves with hairy undersides arranged opposite each other on a stem
- Contains white, milky sap (latex)
- Globes of pale pink flowers

States where it may be found:

Alabama, Arkansas, Connecticut, Delaware, Georgia, Iowa, Illinois, Indiana, Kansas, Kentucky, Louisiana, Massachusetts, Maryland, Maine, Michigan, Minnesota, Missouri, Mississippi, Montana, North Carolina, North Dakota, Nebraska, New Hampshire, New Jersey, New York, Ohio, Oklahoma, Oregon, Pennsylvania, Rhode Island, South Carolina, South Dakota, Tennessee, Texas, Virginia, Vermont, Wisconsin, West Virginia



Phenophases



Early Flowering







Late Flowering

Photo credits: Main-US Fish and Wildlife Service (USFWS), Early-Pixabay, Middle-Courtney Celley USFWS, Late-Homer Edward Price.

Butterfly weed (Asclepias tuberosa)



Identification Hints:

- Lance-shaped leaves alternating on the stem
- Clear sap
- Unique showy orange flower

Phenophases



Early Flowering

budburst

A project of the Chicago Botanic Garden



States where it may be found:

Alabama, Arkansas, Arizona, California, Colorado, Connecticut, Delaware, Florida, Georgia, Iowa, Illinois, Indiana, Kansas, Kentucky, Louisiana, Massachusetts, Maryland, Maine, Michigan, Minnesota, Missouri, Mississippi, North Carolina, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, South Dakota, Tennessee, Texas, Utah, Virginia, Vermont, Wisconsin, West Virginia



Photo credits: Main-Trempealeau National Wildlife Refuge, Early-Pixabay, Middle-Aaron Carlson, Late-Riveredge Nature Center.

Swamp milkweed (Asclepias incarnata)





Identification Hints:

- Opposite, long, skinny leaves
- Deep pink or white flowers
- Often near waterways in damp or wet soil

Phenophases



Early Flowering



States where it may be found:

Alabama, Arkansas, Colorado, Connecticut, Delaware, Florida, Georgia, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Carolina, North Dakota, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Virginia, West Virginia, Wisconsin, Wyoming



Photo credits: Main-John Seyjaget, Early-Kirby Miller, Middle-Joshua Mayer CC BY-SA 2.0, Late-Aaron Carlson CC BY-SA 2.0.

Antelope-horns milkweed (Asclepias asperula)





Identification Hints:

- Hairy stems with long, narrow leaves
- Pale, greenish-yellow flowers, tinged with a deep purple or maroon color

States where it may be found:


Arizona, California, Colorado, Idaho, Kansas, Nebraska, Nevada, New Mexico, Oklahoma, Texas, Utah



Phenophases

Early Flowering





Purple milkweed (Asclepias purpurascens)





Identification Hints:

- Leaves are hairy and opposite on stem
- Flowers are deep magenta red

Phenophases




Early Flowering



States where it may be found:

Arkansas, Connecticut, Delaware, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Dakota, Tennessee, Texas, Virginia, West Virginia, Wisconsin



Showy milkweed (Asclepias speciosa)





Identification Hints:

- Leaves opposite in stem and long, smooth, and ovalshaped
- Pale pink flowers, shaped like stars, in spherical clusters

States where it may be found:


Arizona, California, Colorado, Idaho, Illinois, Iowa, Kansas, Michigan, Minnesota, Montana, Nebraska, Nevada, New Mexico, North Dakota, Oklahoma, Oregon, South Dakota, Texas, Utah, Washington, Wisconsin, Wyoming

Phenophases



Early Flowering





California milkweed (Asclepias californica)



Identification Hints:

- Thick, white, woolly stems that bend or run along the ground
- Milky sap
- Lavender, deep purple, or pink flowers

States where it may be found: California






Early Flowering

budburst

A project of the Chicago Botanic Garden





White milkweed (Asclepias variegata)



Identification Hints:

- Small, white flowers with purplish centers in rounded cluster
- Stems with opposite, wide leaves

States where it may be found:

Alabama, Arkansas, Connecticut, Delaware, Florida, Georgia, Illinois, Indiana, Kentucky, Louisiana, Maryland, Mississippi, Missouri, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, South Carolina, Tennessee, Texas, Virginia, West Virginia



Phenophases



Whorled milkweed (Asclepias verticillata)



Identification Hints:

- Single-stem with straight, narrow leaves in a whorled arrangement
- Small, greenish-white flowers in a flat top cluster

States where it may be found:

Alabama, Arizona, Arkansas, Connecticut, Delaware, Florida, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, New Jersey, New Mexico, New York, North Carolina, North Dakota, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, South Dakota, Tennessee, Texas, Vermont, Virginia, West Virginia, Wisconsin, Wyoming



Phenophases



Early Flowering




Photo credits: Main-Joshua Mayer CC BY-SA 2.0, Early-Fritz Flohr Reynolds CC BY-SA 3.0, Middle-Fritz Flohr Reynolds CC BY-SA 3.0.

Mexican whorled milkweed (Asclepias fascicularis)




Identification Hints:

- Sometimes called Narrowleaf milkweed
- Stem with narrow, whorled leaves
- Clusters of greenish-white flowers often tinged with purple

States where it may be found:

California, Idaho, Nevada, Oregon, Utah, Washington









Late Flowering





Early Flowering

budburst

A project of the Chicago Botanic Garden

Desert milkweed (Asclepias erosa)



Identification Hints:

- Green to yellow stem with leaves that can be mostly smooth or covered in fine white hairs
- White to yellow flowers

Phenophases



Early Flowering

budburst

A project of the Chicago Botanic Garden





Late Flowering

States where it may be found:

Arizona, California, Nevada, Utah

Green milkweed (Asclepias viridis)



Identification Hints:

- Stem with alternating leaf arrangement
- Leaf edges are often wavy
- Flowers are white with some rose or purple at the center
- Milky sap

States where it may be found:

Alabama, Arkansas, Florida, Georgia, Illinois, Indiana, Kansas, Kentucky, Louisiana, Mississippi, Missouri, Nebraska, Ohio, Oklahoma, South Carolina, Tennessee, Texas, Utah, West Virginia



Phenophases



Early Flowering



